

REVISIONS
REV DESCRIPTION DATE APPROVED

- UNIT FABRICATION TO BE DOUBLE WALL, CONSTRUCTION
- UNIT TO BE CONSTRUCTED OF 16 GA. 304 STAINLESS STEEL WITH #4 FINISH.
- DOORS TO BE CONSTRUCTED OF 20 GA. 304 STAINLESS STEEL WITH 1/4" THK. ACRYLIC WINDOWS, BULLET HINGE, QUARTER TURN HANDLES
- UNIT TO BE SUPPLIED 16 GA. 304 STAINLESS STEEL ANGLES TO ATTACH INTERIOR SIDEWALLS TO FLOOR
- UNIT TO BE SUPPLIED WITH 1 1/2" X 1 1/2" X 16 GA. 304 STAINLESS STEEL MOUNTING ANGLE (TO BE FIELD TRIMMED & INSTALLED)
- UNIT TO HAVE A MECHANICAL DOOR INTERLOCK SYSTEM
- ROUGH OPENING TO BE 1/4" LARGER THAN OUTSIDE DIMENSIONS OF UNIT
- -UNIT SUPPLIED W/ SLOPPED TOP, DIMENSIONS TO BE FIELD MEASURED

(2) UNIT REQUIRED, AS SHOWN

DRAWN FOR	HALCO PRODUCTS CO. 100 No. Gordon Street elk grove, il. 60007 TITLE CPT3648-54 SS/MI					
pproved by	SCALE	3/4"=1"-0"	DATE	1-17-05	ZHEET	